
autotweet Documentation

Release 0.5.3

Kjwon15

Nov 09, 2017

Contents

1	autotweet — Library for machine learning your tweet	3
1.1	autotweet.command — CLI interface	3
1.2	autotweet.database — Database structure	3
1.3	autotweet.twitter — Twitter utilities	3
2	Indices and tables	5
	Python Module Index	7

Contents:

autotweet — Library for machine learning your tweet

1.1 autotweet.command — CLI interface

This module provides command line interface.

1.2 autotweet.database — Database structure

This module provides methods to get session, get answer, etc.

class autotweet.database.**Base** (**kwargs)

The most base type

autotweet.database.**get_session**(url)

Get db session.

Parameters url (str) – URL for connect with DB

Returns A sqlalchemy db session

Return type sqlalchemy.orm.Session

1.3 autotweet.twitter — Twitter utilities

This module contains Twitter API key and some useful methods.

autotweet.twitter.**CONSUMER_KEY** = u'62yWrV2RhpGgWOKlqvJPNQ'

Consumer key for autotweet.

autotweet.twitter.**CONSUMER_SECRET** = u'Je6NLI7AN3c1BJP9kHaq1p8GBkMyKs5GhX954dWJ6I'

Consumer secret key for autotweet.

`autotweet.twitter.authorize()`

Authorize to twitter.

Use PIN authentication.

Returns Token for authenticate with Twitter.

Return type `autotweet.twitter.OAuthToken`

`autotweet.twitter.strip_tweet(text, remove_url=True)`

Strip tweet message.

This method removes mentions strings and urls(optional).

Parameters

- **text** (`str`) – tweet message
- **remove_url** (`boolean`) – Remove urls. default `True`.

Returns Striped tweet message

Return type `str`

CHAPTER 2

Indices and tables

- `genindex`
- `modindex`
- `search`

a

- `autotweet`, 1
- `autotweet.command`, 3
- `autotweet.database`, 3
- `autotweet.twitter`, 3

A

authorize() (in module autotweet.twitter), 3
autotweet (module), 1
autotweet.command (module), 3
autotweet.database (module), 3
autotweet.twitter (module), 3

B

Base (class in autotweet.database), 3

C

CONSUMER_KEY (in module autotweet.twitter), 3
CONSUMER_SECRET (in module autotweet.twitter), 3

G

get_session() (in module autotweet.database), 3

S

strip_tweet() (in module autotweet.twitter), 4